

## Building Inspection Department 200 E. Broadway, Hobbs, NM 88240 Phone (575) 391-8158

Ap	plication	#

# **Building Permit Application**

	Applica	ation Re	ceived Date			Phone_			
Owner					Address				
Circle One	: Reside	ential o	Commerc	ial Type:	New □ Rei	model □ Add	lition □ Other	□ please at	tach required plans
Physical A	ddress	Address		City		State		Zi <sub>l</sub>	)
Contractor	Name		Address		City	State		Phone	License #
	Email								
Architect of Engineer	or Name		Address	City		State	Zip	Phone	License #
Engineer	rame		riduress	City		State	Zip	Thone	Electise II
Subdivision	n				Lot	Block	Lot Size_		
Building is	to be		ft. wide l	ру	ft. long	by1	ft. in height and	shall confor	m in construction.
Area or									
Volume		Cubic/ Sq							
Type Use Group				Basement	walls or founda	tion	pe		
% of impro	vements	<u> </u>	Flo	ood Zone		_ Elevati	ion Certificate I	Received	
Subdivision	ision Approved			Drainage Plan Approved					
Job Descrij	ption:								
Valuation S	\$	F	Permit Fee \$		Plan I	Review Fee \$_		_ Total \$	
I,codes.			as the Con	tractor, her	eby agree to	comply unde	r this permit wi	th all City, S	tate and Federal
	ctor's Si	gnature					Date		



#### Instructions for Obtaining a Homeowner's Permit

The legislative intent of the exemption to licensing in the Construction Industries Licensing Act allows you to construct or alter your single-family residence without obtaining a contractor's license. This exemption applies only to your primary residence that is owned and occupied or to be occupied by you. This exemption includes free standing garages, carports and sheds. The exemption does not apply to any other residential dwellings owned by you including rental dwellings or commercial properties as defined in the adopted codes.

- 1. The Homeowner permit is only required for work that requires a permit and inspections pursuant to the regulations.
- 2. Specialty trade projects such as roofing or window installations, that are not part of a larger multi-faceted project, such as a house project or a remodel, are not eligible for a homeowner's permit if the work is to be subcontracted and is not performed by you either personally or with the aid of legal (W-2) employees.
- 3. There are separate permits for residential general building, electrical wiring and plumbing installations, alterations and repairs.
- 4. Prior to applying for a homeowner permit you shall:
  - a. Obtain zoning approval from the local planning and zoning department where the property is located.
  - b. Obtain a flood plain determination from the local planning and zoning department or the flood plain authority.
  - c. Secure proof of ownership of the property which may include a deed, real estate contract or other proof as acceptable to the division.
- 5. For this permit, you must apply in person at the office of the Authority Having Jurisdiction (AHJ), either the Construction Industries Division (CID) or the local permitting authority.
- 6. When applying for the homeowner permit you shall provide each items listed below:
  - a. Submit proof of identity.
  - b. Submit proof of ownership of the property.
  - c. Submit a signed copy of "The Instructions for Obtaining the Homeowner's Permit" indicating that you understand each obligation and agree to comply with the requirements of the Homeowner's permit.
  - d. Submit a completed, signed and notarized original of the Homeowner Permit Responsibilities and Liabilities Acknowledgement form acknowledging and accepting your responsibilities as a homeowner permittee.
  - e. Submit zoning approval and floodplain determination.
  - f. Submit a completed AHJ approved application for the building permit.

Revised 6/11/20



- g. Provide to the AHJ all required plans and documents as set forth in the "Building Permit Guide for Residential Construction".
- h. Submit payment of all applicable fees.
- 7. The homeowner building permit authorizes you to self-perform the work authorized by the permit, to utilize legal (W-2) employees or to sub-contract specialty trades to validly licensed contractors.
- 8. If you are hiring employees, you shall comply with all federal and state tax registration and reporting requirements and worker's compensation insurance requirements.
- 9. If you subcontract for specialty trade work it must be to a validly licensed contractor who must apply for all applicable permits and request all inspections. Trades of work not authorized by the homeowner building permit must be subcontracted.
- 10. Except for work that is legally subcontracted, you are responsible for requesting all inspections, making all corrections of code violations, requesting all required re-inspections and obtaining the Certificate of Occupancy and/or final inspection when applicable.
- 11. The homeowner's permit may not be used to permit a project for which a GB-2 or GB-98 contractor has been contracted to act as a general contractor, a project manager, or to supervise the project.
- 12. The electrical and plumbing homeowner permits authorize only the permittee to perform work authorized by the permit. Subcontractors may not be utilized for this work nor may employees perform any of the electrical or plumbing work authorized by the permit.
- 13. You must comply with all provisions of the Construction Industries Licensing Act (CILA), its regulations, standards and codes

I,that I have read this instructi homeowner's permit, and ag	t I understand what I m	own and occupy or shall be occupying the residence stand what I must do in order to obtain a f the requirements.			
Printed Name		Signature			
Address		<u></u>			
Telephone No.					
Email address					

Revised 6/11/20



STATE OF NEW MEXICO MICHELLE LUJAN GRISHAM, GOVERNOR Linda M. Trujillo, Superintendent Clay Bailey, Director

4.23.20

## READ CAREFULLY-YOUR RIGHTS ARE AFFECTED BY **OBTAINING A HOMEOWNER'S PERMIT!!!**

### HOMEOWNER PERMIT RESPONSIBILITIES AND LIABILITIES **ACKNOWLEDGEMENT**

#### BY OBTAINING THIS PERMIT, AS A HOMEOWNER, I ACCEPT SOLE RESPONSIBILITY AND ACKNOWLEDGE THAT I AM FULLY LIABLE FOR THE PROJECT.

The three possible homeowner's permits are a building permit, an electrical permit and a plumbing permit. The performance of HVAC and natural gas is not available through the homeowner's permit.

Homeowner responsibilities and liabilities are strictly monitored and must be adhered to by a homeowner seeking a homeowner's permit. Please read each of the following statements as each pertains to your application for the homeowner's permit. You must place your initials on the line adjacent to each statement as an acknowledgement of your agreement that you understand and shall abide by each statement. If you do not adhere to each of the following statements, your permit will be cancelled.

Prior to applying in person for a homeowner's permit with CID or the local permitting authority, you, as the homeowner, must obtain zoning approval from the local planning and zoning department, including floodplain determination. If you live in an area that does not have a planning and zoning department, you must obtain flood plain determination prior to applying for your permit.

#### TO BE COMPLETED BY THE LOCAL PERMITTING AUTHORITY WHEN APPROPRIATE.

I have verified that the individual signing this document as homeowner has provided (1) proof of identity; (2) proof of ownership of the property; (3) acknowledgement of review and signing of the Instruction sheet for obtaining a homeowner's permit AND (4) has completed all portions of this document.

Printed Name/Name of Department

New Mexico Regulation and Licensing Department CONSTRUCTION INDUSTRIES DIVISION Page 1 of 5

#### Email address

After initialing each item, sign the acknowledgement before a Notary Public, present this document, proof of identity and ownership of the real property, completion of local planning & zoning documents, flood plain determination and the completed permit application package, including the instruction sheet, in person to the Authority Having Jurisdiction (AHJ) office or the local planning and zoning department. If the completed documentation is submitted to a local planning and zoning department, such documentation shall be mailed or emailed to the AHJ. The homeowner agrees and stipulates that an email submittal to the AHJ shall be considered by all parties as original signed documentation submitted to the AHJ for all intents and purposes. All completed homeowner documentation shall be kept on record by the AHJ with the permit application as proof of the responsibilities and liabilities you have assumed by applying for and obtaining a homeowner's permit.

THIS FORM MUST BE COMPLETED BY HOMEOWNER IN PERSON AT EITHER THE APPROPRIATE PERMITTING AUTHORITY OR THE LOCAL PLANNING AND ZONING DEPT PRIOR TO SUBMITTAL TO THE APPROPRIATE PERMITTING AUTHORITY. ALL PORTIONS MUST BE INITIALED OR THIS ACKNOWLEDGEMENT IS DEEMED INCOMPLETE AND UNACCEPTABLE!

Place a checkmark adjacent to the appropriate contracting you plan on completing when obtaining the homeowner's permit.

for a minimum of requirement may criminal [unlicens	two years after the Cer result in denial of fu	primary residence that will be owned and occupied by mertificate of Occupancy is issued. Violation of this two-year ature additional homeowner permits and/or initiation of es against you in accordance with the requirements of the § 60-13-52.
I plan to alter, rep	air, install or make im	provements to my primary residence owned and occupied
I plan to build/con and occupied prin	<del>-</del>	e-standing garage or storage building located at my owned
I plan to install, a	_	al wiring or plumbing systems at my owned and occupied
I plan to self-perform or	subcontract each scope	e of work as indicated below:
concrete	self-perform	subcontract
framing	self-perform	subcontract
insulation	self-perform	subcontract
sheetrock	self-perform	subcontract
exterior finish	self-perform	subcontract
roofing	self-perform	subcontract
windows	self-perform	subcontract
doors	self-perform	subcontract
millwork	self-perform	subcontract

Revised 6/11/20

New Mexico Regulation and Licensing Department CONSTRUCTION INDUSTRIES DIVISION

4.23.20				
	electrical _	self-perform	subcontract	
	plumbing _	self-perform	subcontract	
AHJ shal	l make a determina	tion as to whether a ho	all self-perform and subcontract, the appropriate meowner's permit is applicable for this project anyou to a Homeowner's permit.	ıd
		tial ONLY if you fully to the state of the s	ngree and acknowledge you will abide by and iability.	
_	<del></del>		ne whether or not I am qualified to perform the work	c and
	_	fy for the homeowner pe		,•
	as my own gen		nining a homeowner's permit as a homeowner, I am a or plumber and acknowledge I am solely responsible	
		-	s homeowner's permit is premised on this single-fay me as required by statute and rule.	ımily
			ng for this homeowner's permit and I cannot delegate	e this
	I understand the all regulations,	and building standards a	I provisions of the Construction Industries Licensing and codes acknowledging that I have sufficient familiated the construction, alter and repair of my own personal transfer	iarity
	I understand that portion of the value licensed contract homeowner's of jurisdiction in value.	work and that electrical actor unless I have de examination administer which I am building my	ing permit shall only be issued for the general constru- and/or plumbing work must be performed by a pro- monstrated my ability to do such work by passi- ed by the electrical or plumbing department for nome and obtaining the appropriate electrical or plum-	perly ng a r the
	appropriate AI	that I must submit plar	s and all other required submittals for approval by owledgement of my responsibilities to fulfill all meanings permit.	
<u>.                                    </u>	I understand the homeowner's push work. The	hat, under no circumst permit and that I must of se appropriately licensed	ances, can I perform HVAC or natural gas under contract appropriately licensed subcontractors to per I subcontractors must obtain their own permits and ca	rform
·		at, as the homeowner ol	otaining the building permit I may physically perform in the performance of the work.	n the
_	I understand th	at if I obtain a homeow	ner plumbing or electrical permit, only I can performes to assist nor may I subcontract any of the plumbi	

Revised 6/11/20


electrical work.

work for which I intend to subcontract.

I understand that any portion of the construction work that I subcontract must be to licensed contractors and that each of these subcontractors must permit each scope of work separately from the Homeowner's permit. Licensed contractors are licensed business entities not individuals. I understand that before I subcontract any scope of work, I must verify with the Construction Industries Division that the subcontractor is duly licensed in New Mexico to perform the type of

I understand that if I contract with a GB-02 [licensed residential contractor] or a GB-98 [licensed
residential/commercial contractor] to supervise my work, to act in the capacity of a general
contractor or project manager, the homeowner's permit is automatically VOIDED requiring the
licensed contractor to permit the project under the contractor's license. Any violation of this
requirement by the licensed contractor shall subject the contractor to disciplinary action against
the contractor's license.
I understand that if I hire a "construction manager" or "superintendent" or "foreman" to oversee
my work, that individual must be my employee, I will pay the employee hourly wages and no other
form of compensation, the employee shall work strictly under my direction and I shall be
responsible to comply with all tax and worker's compensation legal requirements. my home, that
individual will be my employee and strictly working under my direction.
 I understand that if I hire an individual to assist me in this construction I shall pay this employee
strictly hourly wages, no other form of compensation and be responsible for complying with all
tax and worker's compensation legal requirements.
 I understand I must provide my state and federal employee tax numbers and payroll records to the
division, upon request.
 _ I understand I will withhold all required state and federal taxes, including social security taxes
from the wages I pay to my employee(s).
I understand that if I do not carry Worker's Compensation Insurance, I may be financially
 responsible if any of my employees are injured while working on my premises. This financial
liability will include employee(s) for whom I may not be required to carry Worker's Compensation
Insurance or injured workers hired by a subcontractor I subcontract, who does not carry his/her
own worker's compensation insurance.
I understand that I must call for each and every required inspection, except those inspections
 permitted by my subcontractor(s). I shall make the premises accessible to all inspectors.
I understand that if an inspection results in a cited code violation, such violation must be cured
 within the time required by the AHJ building official or the inspector. Failure to correct is a
violation of CID rules and may result in disciplinary action by the division.
I understand that for new construction all appropriate inspections, including the final, must be
passed by the inspector in order to obtain a Certificate of Occupancy. The Certificate of Occupancy
must be issued prior to my occupation.
 I understand that if I occupy my home (or addition) prior to a final inspection, no Certificate of
Occupancy shall be issued. Failure to call for a final inspection or obtain a certificate of occupancy
shall result in a permanent record of such failure which may present issues in the future if I desire
to sell or refinance my home.
 I understand the Certificate of Occupancy shall state that my home, addition or storage building
was built under a Homeowner's permit.
 I understand that if I am building my own home and during the process of building, I decide not
to own and/or occupy the home when it is completed, I am no longer eligible for the Homeowner's
permit. At that time, I shall immediately notify the permitting AHJ who shall cancel my
Homeowner's permit and I shall hire a licensed contractor to complete the work.
I understand that if I don't require each of my subcontractors to obtain their own permits, each of
 their contractor's bonds will not cover the work each performed and I will have limited remedies
available to me through the Construction Industries Division and/or the Construction Industries
Commission. Because I have assumed the responsibility for this project that would normally have
been assumed by a licensed general/electrical/plumbing contractor I also assume all liabilities as
to this project.
VV WALL DAVIOUS

I,, sti	pulate, acknowledge and certify that I have read each rement, responsibility and liability that accompanies
	all applicable laws, regulations, codes, standards,
	nust obtain separate permits to self-perform general
	and I am required to substantiate my plumbing and/or on or the appropriate AHJ. I further understand that I
	t to a homeowner's permit. If I subcontract a licensed
	tractor will apply for his/her own permit for his/her
portion of the work and ensure all inspections are co	
r	
	ppropriate completed permit application and comply
	I plan submittals listed in the "Building Permit Guide
	ed with this document. I have reviewed this Building
Permit Guide for Residential Construction, and Tur	derstand and accept all the included responsibilities.
Homeowner signature	
[Must be signed and acknowledged before a Notary	Public]
SWORN AND ACKNOWLEDGED before me the	is day of , 20 ,
	Notary Public
My Commission expires:	•




### SCALED DRAWINGS:

SHOW PROPERTY LINES SHOW LOCATION OF PROPOSED STRUCTURE OR STRUCTURES SHOW SET BACK DIMENSIONS FROM PROPERTY LINES TO ALL STRUCTURES SHOW DRIVE WAYS, SIDEWALKS

1234 SKYLANE DRIVE


SITE PLAN
SCALE:1"=20'-0"




NOTE:
ALL SLEEPING ROOMS SHALL COMPLY
WITH EMERGENCY ESCAPE
SECTION R.310.1 SEE ATTACHED SHEET
FOR MINIMUM WINDOW SIZE.

FLOOR PLAN

SCALE:3/16"=1'-0




MINIMUM SIZE RESCUE OR ESCAPE WINDOWS FROM SLEEPING ROOMS Sec. R310.4 & 1203




TYPICAL WALL SECTION AND FOOTING DETAIL

SCALE: 1/2"= 1'/0"



ROOF FRAMING PLAN

SCALE:3/16"=1'-0




FOUNDATION PLAN

SCALE:3/16"=1'-0

flange. The exterior lath shall cover and terminate on the attachment flange of the weep screed.

Water and moisture can penetrate an exterior plaster wall for a variety of reasons and in a number of ways. Some moisture will penetrate the plaster in an exterior wall; therefore, the design of the wall should include a weep screed, which will provide a way to release the moisture [see Commentary Figure R703.7.2.1]. Once water or moisture penetrates the plaster, it will migrate down the exterior face of the weather-resistive barrier until it reaches the sill plate or mud sill. At this point, the water will seek a way out of the wall. If the exterior plaster system is not detailed and constructed with provisions to allow the moisture to escape to the exterior, it will find its own way out. This exit will almost certainly be through the interior of the wall and cause leaking, and therefore damage, to the interior of the building. For this reason, the code requires a continuous weep screed at the bottom of exterior walls to permit the moisture to escape to the exterior of the building.



R703.7.3 Water-resistive barriers. Water-resistive barriers shall be installed as required in Section R703.2 and, where applied over wood-based sheathing, shall include a water-resistive vapor-permeable barrier with a performance at least equivalent to two layers of Grade D paper. The individual layers shall be installed independently such that each layer provides a separate continuous plane and any flashing (installed in accordance with Section R703.4) intended to drain to the water-resistive barrier is directed between the layers.

**Exception:** Where the water-resistive barrier that is applied over wood-based sheathing has a water resistance

- equal to or greater than that of 60-minute Grade D paper and is separated from the stucco by an intervening, substantially nonwater-absorbing layer or designed drainage space.
- The code requires that a water-resistive barrier be installed behind exterior plaster for the reasons provided in Section R703.2. The code also requires that when the barrier is applied over wood-based sheathing such as plywood, the barrier is to be two layers of Grade D building paper.

This requirement is based on the observed problems that occur when one layer is applied over wood sheathing. The wood sheathing eventually exhibits dry rot due to the penetration of moisture. Cracking is then created in the plaster due to movement of the sheathing caused by alternate expansion and contraction. Field experience has shown that where two layers of building paper are used, the penetration of moisture is considerably decreased, as is the cracking of the plaster due to movement of the sheathing caused by the wet and dry cycles.

The code also requires each layer of the water-resistive barrier to be independently installed in a manner that provides a continuous drainage plane. The primary function of the inboard layer is to keep water away from the sheathing and also from penetrating into the stud cavity. This layer should be integrated with window and door flashings, the weep screed at the bottom of the wall as well as any through-wall flashing or expansion joints. The primary function of the outboard layer that comes in contact with the stucco is to separate the stucco from the inboard layer of the water-resistive barrier. This layer is at times referred to as a "sacrificial layer," an "intervening layer" or a "bond break layer."

This provision includes a reference to "Grade D paper" without defining the term or providing a reference to a standard. The reference to Grade D paper actually refers to Federal Specification UU-B-790a, Federal Specifications for Building Paper, Vegetable Fiber—Kraft, Waterproofed, Water Repellent, and Fire Resistant. This reference can be traced back to the Uniform Building Code® (UBC®) and UBC Standard 14-1, which was based on Federal Specification UU-B-790a. In Section 3.6.4 of that specification, the physical properties for Grade D paper are established. The reference to Kraft waterproof building paper is used because it has the appropriate water vapor permeability to prevent entrapment of moisture between the paper and the sheathing.

The exception permits the application of alternative standard practices by recognizing stucco systems in which one of the two layers of water-resistive barrier is replaced by a layer that although not a "Grade D paper" provides separation from the wet stucco application and provides a barrier to moisture from the stucco to the water-resistive barrier.